

Application SN: 10/658,950
EXAMINER: R.R. PATEL
ART UNIT: 1792

Amendments to the Claims as follows:

1. (CANCELED)

2. (Currently Amended) The combination sink and jet parts washer of Claim
5 [[13]] 14 wherein said sink is hinged to said base cabinet.

3. (Currently Amended) The combination sink and jet parts washer of Claim
[[13]] 14 wherein said sink is removably seated on said cabinet.

10 4. (Currently Amended) The combination sink and jet parts washer of Claim
[[13]] 14 wherein said sink is on guide means and is slidable between said open
and closed positions.

15 5. (Currently Amended) The combination sink and jet parts washer of Claim
[[13]] 14 wherein said hand washer includes a brush and a valve to regulate the
fluid flow.

6. (Currently Amended) The combination sink and jet parts washer of Claim
[[13]] 14 wherein a dampening closer extends between said sink and cabinet.

Application SN: 10/658,950
EXAMINER: R.R. PATEL
ART UNIT: 1792

7. (Previously Presented) The combination sink and jet parts washer of Claim 6 wherein said closer is a gas spring.

8. (Currently Amended) The combination sink and jet parts washer of Claim
5 [[13]] 14 further including means for rotating said receptacle comprising vane means attached to said basket positioned to be driven by fluid flow to said pump.

9. (Currently Amended) The combination sink and jet parts washer of Claim
10 [[13]] 14 ~~wherein said~~ including means for rotating said receptacle comprising a gear motor and pulley.

10. (Currently Amended) The combination sink and jet parts washer of Claim [[13]] 14 wherein said pump is driven by an electric motor in a circuit having a safety interlock permitting operation of the motor only when the sink is
15 in a closed position.

11. (Currently Amended) The combination sink and jet parts washer of Claim [[10]] 14 wherein said circuit is connected to an electrical heater located in the reservoir.

12. (Currently Amended) The combination sink and jet parts washer of Claim [[13]] 14 wherein said sink is generally rectangular having sidewalls which terminate at an upwardly flared flange.

5 13. (CANCELLED)

14. (New) A portable multi-function parts washer for removing contaminants from parts either by hand or automatically using an aqueous cleaning fluid, said parts washer comprising:

- 10 (a) a base cabinet having sides and an open top defining a compartment having an upper jet cleaning section and a lower section;
- (b) a cleaning receptacle mounted in said jet cleaning section for receiving parts to be washed by jet cleaning;
- 15 (c) a spray manifold in said jet cleaning section having at least one spray nozzle oriented to direct a cleaning spray toward said receptacle;
- (d) a fluid pump having an outlet and an inlet;
- (e) a sink mounted on said cabinet open top overlying said jet cleaning
- 20 section having a closed position closing said cabinet open top and

Application SN: 10/658,950
EXAMINER: R.R. PATEL
ART UNIT: 1792

an open position providing access to said jet cleaning section to
load and remove parts therefrom;

(f) a hand washer for manually cleaning parts in the sink;

(g) a drain in said sink;

5 (h) a fluid reservoir in the lower section of said cabinet receiving the
fluid discharged from said sink through said drain and receiving the
fluid discharged from said jet cleaning section; and

(i) said pump inlet in fluid communication with said reservoir and
having its outlet in fluid communication with said manifold and said
10 washer to supply pressurized cleaning fluid to said hand washer
and said spray manifold exclusively from said reservoir
independent of any external fluid supply.